




PLAN VIEW



FRONT VIEW




SIDE VIEW




SECTION "A-A"

NOTES:

1. COPOLYMER POLYPROPYLENE PLASTIC STEP SHALL BE PLACED 16" OC IN ALL STRUCTURES 5' DEPTH OR GREATER.
2. STEPS SHALL BE INSTALLED BY MANUFACTURER AND SHALL BE ALIGNED OVER STRUCTURE INVERT OUT.
3. DIMENSIONS SHOWN ARE TO CONVEY THE DESIRED SIZE OF THE STEP AND CONSTRUCTION MAY BE ACCEPTABLE PROVIDED MATERIAL SUBMITTAL IS APPROVED BY FAYPWC.
4. MATERIALS OF CONSTRUCTION AND METHOD OF INSTALLATION SHALL BE IN ACCORDANCE WITH OSHA STANDARDS AND ASTM C-478.



ISOMETRIC VIEW OF STEP

| STRUCTURE STEP<br>N.T.S. |                     |     | FAYETTEVILLE<br>PUBLIC WORKS COMMISSION<br>FAYETTEVILLE, N.C. |  | NO. | DATE | REVISION |
|--------------------------|---------------------|-----|---|---|-----|------|----------|
| SHEET NO.<br>1 OF 1      | DWG. NO.            | S.8 | DWG. BY: FAYPWC   |   |     |      |          |
|                          | DATE: JAN. 01, 2024 |     | APPROVED BY: M.M.M.   |   |     |      |          |
|                          |                     |     |   |   |     |      |          |
|                          |                     |     |   |   |     |      |          |